

## Rubber Products



### General

Flexible rubber adapters and elbows have smooth radii and inside surfaces to minimize flow resistance within the air intake system.

#### Specifications

- EPDM rubber construction for improved heat resistance and low temperature flexibility (-40°C to 100 °C).
- Non corrosive construction resists tears, punctures, and vacuum collapse under severe conditions.
- Ideal for light-, medium- and heavy-duty applications.
- Elbows ribbed or compounded for extra strength and durability.  
Rubber adapters help to absorb vibrations and reduce intake noise level.

### 90° Rubber Elbows & Reducing Elbows





90° Elbows				
Part Number	Dimensions			
	A mm	B mm	R °	Outer Dia mm
P781509	45,0	80	51	51,0
P105529	50,0	89,0	51,0	61,0
P105530	57,0	95,0	57,0	66,5
P105531	63,0	101,5	63,5	76,3
P105532	76,0	127,0	82,5	89,0
P114318	89,0	140,0	102,0	101,7
P105533	102,0	146,0	105,0	113,5
P113733	114,0	140,0	89,0	127,0
P107844	127,0	156,0	115,0	139,8
P105534	140,0	165,0	120,5	152,5
P105535	152,0	171,0	127,0	165,2
P105536	178,0	192,0	141,0	193,6
P112605	203,0	216,0	165,0	222,5
P114314	254,0	267,0	216,0	273,0

90° Elbow Reducers				
Part Number	Dimensions			
	A mm	B mm	C mm	Outer Dia mm
P781510	40,0	45,0	45,0	46 - 51
P778565	76,0	60,0	70,0	71 - 87
P775228	76,0	70,0	60,0	82 - 88
P123462	76,0	89,0	57,0	88,9 - 101,6
P121482	127,0	101,6	95,0	114,4 - 139,8
P143895	152,4	127,0	108,0	139,6 - 165,0
P159820	178,0	127,0	108,0	139,6 - 190,4
P128990	178,0	140,0	111,0	155,5 - 193,5
P117724	152,4	140,0	127,0	152,3 - 165,0



## Rubber Products

### 45° Rubber Elbows & Reducing Elbows




45° Elbows				
Part Number	Dimensions			Outer Dia mm
	A mm	B mm	C mm	
P105541	50,0	101,6	51,0	61,0
P105542	56,0	104,6	57,0	67,3
P105543	63,5	109,5	63,5	73,7
P105544	76,0	140,0	95,0	89,0
P109331	89,0	127,0	89,0	101,7
P105545	101,5	140,0	108,0	114,4
P114316	114,0	128,5	89,0	127,1
P109021	127,0	142,7	114,5	139,8
P105546	140,0	159,0	120,5	152,5
P105547	152,5	165,0	127,0	165,2
P105548	178,0	203,0	141,0	194,0
P112606	203,0	203,2	165,0	222,2
P114313	254,0	241,3	216,0	273,0

45° Elbow Reducers					
Part Number	Dimensions				
	A mm	B mm	C mm	R °	Outer Dia mm
P133338	152,4	140,4	163,5	124	152,5 - 165,2
P133339	152,5	178,0	184,0	135	168,2 - 193,6



### Rubber Straight Humps


Rubber Straight Humps			
Part Number	Dimensions		
	A mm	B mm	Outer Dia mm
P781511	45,0	50,0	51,0
P105608	76,0	134,5	89,0
P114319	89,0	134,0	101,6
P105609	101,5	133,5	114,5
P114317	114,0	152,5	127,1
P105610	127,0	152,5	139,8
P105611	140,0	152,5	152,5
P105612	152,5	177,8	165,2
P105613	178,0	177,8	190,6
P112608	203,0	127,0	215,9
P111414	254,0	152,5	266,7



## Rubber Products

### Rubber Hump Reducers

Rubber Hump Reducers				
Part Number	Dimensions			
	A mm	B mm	C mm	Outer Dia mm
P102820	76,0	63,5	114,0	75,2 - 88,9
P520883	76,0	70,0	89,0	82,5 - 88,9
P520882	89,0	70,0	101,5	79,5 - 98,5
P101290	89,0	76,0	127,0	88,9 - 101,6
P520884	101,5	70,0	101,5	79,5 - 111,2
P101291	101,5	76,0	133,5	89,0 - 114,4
P101292	101,5	89,0	133,5	101,7 - 114,4
P101293	127,0	101,5	152,5	114,4 - 139,8
P101891	140,0	101,5	152,5	114,4 - 152,5
P103516	140,0	127,0	152,5	139,8 - 152,5
P112611	152,5	127,0	152,5	139,8 - 165,2
P101294	152,5	140,0	152,5	152,5 - 165,2
P126530	178,0	140,0	178,0	152,5 - 190,6
P112610	178,0	152,5	152,5	165,2 - 190,6
P136494	178,0	127,0	178,0	139,8 - 190,6
P129660	203,0	140,0	178,0	152,4 - 215,9
P114315	203,0	152,5	152,5	165,1 - 215,9
P112609	203,0	178,0	152,5	190,5 - 215,9
P112607	254,0	203,0	152,5	215,9 - 266,7



### Reducers

Reducers				
Part Number	Dimensions			
	A mm	B mm	C mm	Outer Dia mm
P114411	38,0	25,5	63,5	36,0 - 48,8
P114412	38,0	32,0	63,5	42,4 - 48,8
P104087	51,0	38,0	63,5	48,7 - 61,4
P102948	51,0	44,5	63,5	55,0 - 61,4
P104088	57,0	51,0	63,5	61,4 - 67,8
P104089	63,5	51,0	63,5	61,8 - 74,5
P104090	63,5	58,0	63,5	67,8 - 74,1

